

Exact Differential Equations

Bernd Schröder

What are Exact Differential Equations?

What are Exact Differential Equations?

1. A differential equation of the form $M(x,y) + N(x,y)y' = 0$ is called exact if and only if $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$.

What are Exact Differential Equations?

1. A differential equation of the form $M(x,y) + N(x,y)y' = 0$ is called exact if and only if $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$.
2. If the differential equation $M(x,y) + N(x,y)y' = 0$ is exact, then there is a potential function f with $M = \frac{\partial f}{\partial x}$ and $N = \frac{\partial f}{\partial y}$.

What are Exact Differential Equations?

1. A differential equation of the form $M(x,y) + N(x,y)y' = 0$ is called exact if and only if $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$.
2. If the differential equation $M(x,y) + N(x,y)y' = 0$ is exact, then there is a potential function f with $M = \frac{\partial f}{\partial x}$ and $N = \frac{\partial f}{\partial y}$.
3. The general solution of the equation is given by $f(x,y) = c$, which may or may not be solvable for y .

What are Exact Differential Equations?

1. A differential equation of the form $M(x,y) + N(x,y)y' = 0$ is called exact if and only if $\frac{\partial M}{\partial y} = \frac{\partial N}{\partial x}$.
2. If the differential equation $M(x,y) + N(x,y)y' = 0$ is exact, then there is a potential function f with $M = \frac{\partial f}{\partial x}$ and $N = \frac{\partial f}{\partial y}$.
3. The general solution of the equation is given by $f(x,y) = c$, which may or may not be solvable for y .

That's it.

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Checking exactness:

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2,$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2,$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, \quad y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, \quad y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

$$\int 2x + 2y \, dx = x^2 + 2xy + c_y$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, \quad y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

$$\int 2x + 2y \, dx = x^2 + 2xy + c_y$$

$$\int 2x + 1 \, dy = 2xy + y + c_x$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, \quad y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

$$\int 2x + 2y \, dx = x^2 + 2xy + c_y$$

$$\int 2x + 1 \, dy = 2xy + y + c_x$$

$$f(x, y) =$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

$$\int 2x + 2y \, dx = x^2 + 2xy + c_y$$

$$\int 2x + 1 \, dy = 2xy + y + c_x$$

$$f(x, y) = x^2$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, \quad y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

$$\int 2x + 2y \, dx = x^2 + 2xy + c_y$$

$$\int 2x + 1 \, dy = 2xy + y + c_x$$

$$f(x, y) = x^2 + 2xy$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, \quad y(1) = 0.$$

Checking exactness:

$$\frac{\partial(2x + 2y)}{\partial y} = 2, \quad \frac{\partial(2x + 1)}{\partial x} = 2, \quad \text{exact.}$$

Finding the potential function.

$$\int 2x + 2y \, dx = x^2 + 2xy + c_y$$

$$\int 2x + 1 \, dy = 2xy + y + c_x$$

$$f(x, y) = x^2 + 2xy + y$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Finding the general solution.

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Finding the general solution.

$$c = f(x, y)$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Finding the general solution.

$$c = f(x, y) = x^2 + 2xy + y$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Finding the general solution.

$$c = f(x, y) = x^2 + 2xy + y$$

$$c = x^2 + y(2x + 1)$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Finding the general solution.

$$c = f(x, y) = x^2 + 2xy + y$$

$$c = x^2 + y(2x + 1)$$

$$y(2x + 1) = c - x^2$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Finding the general solution.

$$c = f(x, y) = x^2 + 2xy + y$$

$$c = x^2 + y(2x + 1)$$

$$y(2x + 1) = c - x^2$$

$$y = \frac{c - x^2}{2x + 1}$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solving the initial value problem.

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solving the initial value problem.

$$y = \frac{c - x^2}{2x + 1}$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solving the initial value problem.

$$y = \frac{c - x^2}{2x + 1}$$

$$0 = y(1)$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solving the initial value problem.

$$y = \frac{c - x^2}{2x + 1}$$

$$0 = y(1) = \frac{c - 1}{2 \cdot 1 + 1}$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solving the initial value problem.

$$y = \frac{c - x^2}{2x + 1}$$

$$0 = y(1) = \frac{c - 1}{2 \cdot 1 + 1}$$

$$c = 1$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$

Solving the initial value problem.

$$y = \frac{c - x^2}{2x + 1}$$


$$0 = y(1) = \frac{c - 1}{2 \cdot 1 + 1}$$

$$c = 1$$

$$y = \frac{1 - x^2}{2x + 1}$$

Solve the Initial Value Problem

$$2x + 2y + (2x + 1)y' = 0, y(1) = 0.$$



$$y = \frac{1 - x^2}{2x + 1}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$2x + 2y + (2x + 1)y'$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$2x + 2y + (2x + 1)y'$$

$$= 2x$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$\begin{aligned} & 2x + 2y + (2x + 1)y' \\ &= 2x + 2\frac{1 - x^2}{2x + 1} \end{aligned}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$\begin{aligned} & 2x + 2y + (2x + 1)y' \\ &= 2x + 2\frac{1 - x^2}{2x + 1} + (2x + 1)\frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2} \end{aligned}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$\begin{aligned} & 2x + 2y + (2x + 1)y' \\ &= 2x + 2\frac{1 - x^2}{2x + 1} + (2x + 1)\frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2} \\ &= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1} \end{aligned}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$\begin{aligned} & 2x + 2y + (2x + 1)y' \\ &= 2x + 2\frac{1 - x^2}{2x + 1} + (2x + 1)\frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2} \\ &= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1} \\ &= 0 \end{aligned}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$\begin{aligned} & 2x + 2y + (2x + 1)y' \\ &= 2x + 2\frac{1 - x^2}{2x + 1} + (2x + 1)\frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2} \\ &= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1} \\ &= 0 \quad \checkmark \end{aligned}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$\begin{aligned}
 & 2x + 2y + (2x + 1)y' \\
 &= 2x + 2\frac{1 - x^2}{2x + 1} + (2x + 1)\frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2} \\
 &= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1} \\
 &= 0 \quad \checkmark
 \end{aligned}$$

$$y(1) =$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$2x + 2y + (2x + 1)y'$$

$$= 2x + 2 \frac{1 - x^2}{2x + 1} + (2x + 1) \frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2}$$

$$= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1}$$

$$= 0 \quad \checkmark$$

$$y(1) = \frac{1 - 1^2}{2 \cdot 1 + 1}$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$2x + 2y + (2x + 1)y'$$

$$= 2x + 2 \frac{1 - x^2}{2x + 1} + (2x + 1) \frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2}$$

$$= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1}$$

$$= 0 \quad \checkmark$$

$$y(1) = \frac{1 - 1^2}{2 \cdot 1 + 1} = 0$$

Does $y = \frac{1 - x^2}{2x + 1}$ Really Solve the Initial Value

Problem $2x + 2y + (2x + 1)y' = 0, y(1) = 0.$

$$2x + 2y + (2x + 1)y'$$

$$= 2x + 2 \frac{1 - x^2}{2x + 1} + (2x + 1) \frac{-2x(2x + 1) - 2(1 - x^2)}{(2x + 1)^2}$$

$$= \frac{2x(2x + 1)}{2x + 1} + \frac{2(1 - x^2)}{2x + 1} + \frac{-2x(2x + 1) - 2(1 - x^2)}{2x + 1}$$

$$= 0 \quad \checkmark$$

$$y(1) = \frac{1 - 1^2}{2 \cdot 1 + 1} = 0 \quad \checkmark$$